



Università di Roma Tor Vergata Dipartimento di Fisica

Seminar

Thursday, 16 March 2017 - h. 16:00

Sala Grassano (Dipartimento di Fisica)

Dr. Valerio Lucarini

University of Reading (Reading, U.K.)

"Edge States in the Climate System: Exploring Global Instabilities and Critical Transitions"

Abstract

Multistability is a ubiquitous feature in systems of geophysical relevance and provides key challenges for our ability to predict a system's response to perturbations. Near critical transitions small causes can lead to large effects and - for all practical purposes - irreversible changes in the properties of the system. As is well known, the Earth climate is multistable: present astronomical and astrophysical conditions support two stable regimes, the warm climate we live in, and a snowball climate, characterized by global glaciation. We first provide an overview of methods and ideas relevant for studying the climate response to forcings and focus on the properties of critical transitions in the context of both stochastic and deterministic dynamics, and assess strengths and weaknesses of simplified approaches to the problem. Following an idea developed by Eckhardt and collaborators for the investigation of multistable turbulent fluid dynamical systems, we study the global instability giving rise to the snowball/warm multistability in the climate system by identifying the climatic edge state, a saddle embedded in the boundary between the two basins of attraction of the stable climates. The edge state attracts initial conditions belonging to such boundary and, while being defined using deterministic dynamics, is the gate facilitating noise-induced transitions between competing attractors. We use a simplified yet Earth-like intermediate complexity climate model constructed by coupling a primitive equations model of the atmosphere with a simple diffusive ocean. We refer to the climatic edge states as Melancholia states and provide an extensive analysis of their features. We relatie macroscopic thermodynamical properties to their dynamics, classifying them according to their symmetry, and following a complex set of bifurcations. We discover situations where the Melancholia state has chaotic dynamics. In these cases, we discover that the basin boundary between the two basins of attraction is a strange geometric set with codimension smaller than one, and relate this to the time scale separation between instabilities occurring on weather and climatic time scales. We also discover a new stable climatic state similar to a Melancholia state and characterized by non-trivial symmetry properties.

> ERC Advanced Grant (N. 339032) "NewTURB" (P.I. Prof. Luca Biferale) Università degli Studi di Roma Tor Vergata C.F. n. 80213750583 – Partita IVA n. 02133971008 - Via della Ricerca Scientifica, 1 – 00133 ROMA